



## SPECIFICATIONS

L.O.A*:	9.95 m
Length of hull:	9.56 m
Width of hull:	3.36 m
Light displacement EC:	5 660 kg
Air draught:	4.30 m
Draft:	0.85 m
Fuel tank:	650 l
Water tank:	220 l
Maximum engine power:	2x165 Kw / 2x225 HP
Max engine certification:	490 Kw / 666 HP
EC certification:	B8 / C10

\* (with aft swimming platform)

## ARCHITECTS

BENETEAU POWER

## DESIGNERS

P. SARRAZIN

## STANDARD EQUIPMENT

### CONSTRUCTION

#### HULL

Composition: Sandwich (Polyester resin - Glass fibre - Balsa core) - White gel-coat - Counter moulding of integral structure hull in monolithic laminate (Polyester resin - Glass fibre) - Flexible propeller guard strip in galvanised steel on keel extension - Semi-floating hull with deep V-shape on forward section - Bulb-shaped bow - Side stabiliser skids -

#### DECK

Composition: Sandwich (Polyester resin- Glass fibre / Balsa core) - Counter moulding of integral structure deck in monolithic laminate (Polyester resin - Glass fibre) - White gel-coat - Diamond tip type non-slip covering - Joining hull / deck with sheer rail aluminium and rubber -

### DECK EQUIPMENT

#### MOORING -ANCHORING

Stainless steel bow fitting - 2 Stainless steel aft hawser posts - Bulwark in removable plain solid wood - 6 Aluminium mooring cleats (L 300mm: 2 Front cleats, 2 Spring cleats and 2 aft cleats - Self-bailer chain locker with clenche eye -

#### PERSONNEL GUARDS

Closed stainless steel pulpit surrounding the cockpit up to cockpit steps - 2 Stainless steel handrails on flybridge - 2 Stainless steel guard rails on access to catwalk steps -

#### COCKPIT

Self-bailing cockpit - Gunwales in plain solid wood - 1 Large lockable locker in cockpit bottom assisted by 1 gas piston(s) - Cockpit steps decked in plain solid wood - Gas cylinder locker - Hot/cold water cockpit shower hose - Cockpit gate in transom - Sliding transom (position large aft swim deck / large cockpit) - 3-point locking system - Integrated swimming ladder in locker

#### FLYBRIDGE

Flybridge self-bailing - Access to flybridge by ladder with stainless steel upright and handrail, solid wood steps plain - Hatch blocking access to flybridge - 2 Adjustable pilot seat(s) on slide rail - L-shaped bench seat and meridienne couch (Cushions PVC "Columbia") - Steering console with engine counters, navigation compass, sports steering wheel and hydraulic steering - White PMMA windscreen - Stainless steel pushpit and side pulpits - Stainless steel support hoop for navigation lights, aerials and radar -

### INTERIOR LAYOUT

Alpi woodworking in fruit tree colour - Laminated floorboards with black wood streaking - Cushions "Trajan sand" -

#### COMPANIONWAY

Stainless steel guard rail -

#### SALOON

Height to deck beam: 1.94 m.  
U-shaped bench seat - Storage space under seating - Height-adjustable table - 2-leaved aft window door with black lacquered aluminium frame -

#### GALLEY (TO PORT)

Height to deck beam: 1.94 m.  
L-shaped kitchen by saloon in wheelhouse, to port - Includes: Synthetic resin worktop, Stainless steel sink - Mixer tap with hot/cold water under pressure - 2 hob gas cooker with protective lid - storage space under sink - Cutlery drawer - Rubbish bin (25 l) - Bar, Storage, Fridge 80 l fitted into starboard cabinet opposite saloon -

#### STEERING STATION

Clear glass windscreen with aluminium frames - 2 Electric windscreen wipers - Windscreen washer - Demister - Grey-tinted PMMA sliding side windows with aluminium frames - Inside curtains (Side, Aft window door) - Instrument panel with navigation compass - Engine counters - High console for fitting electronic navigation equipment - Engine dials: Rev counters, fuel gauge - Control Bow thruster\*, Navigation lights, Electric windscreen wipers - Windscreen washer - Demister - Engine control - Steering wheel - 12 function 12 V electrical panel - Pilot seat type "leaning post" - Footrests -

\* depending on options and engine version

#### WASHROOM (TO PORT)

Height to deck beam: 1.90 m.  
White laminated partitions - Marine toilet - Rigid sewage tank (80 l) - Basin - Pressured hot/cold water mixer tap - Cupboard - Toilet accessory rack - Mirror - Electric pump for shower draining - 2 Opening hull portholes - Skydome letting through light from wheelhouse -

#### OWNER CABIN (FORWARD)

Height to deck beam: 1.90 m.  
Double berth (1.90 m x 1.45 m) - Marine mattress - Hanging locker - Storage lockers - Side cubbyholes - Dressing table - 1 Opening deck hatch with fitted mosquito net - 2 Opening hull portholes with blackout curtains - Cabin entrance door -

## **GUEST CABINS (TO STARBOARD)**

Height to deck beam: 1.90 m.

2 Single bunk berth(s) - Tip-up upper berth - Marine mattress -  
Hanger closet and bedside cabinet - 1 Opening deck porthole -  
1 Opening deck house porthole - Blackout curtain -

## **ENGINE**

Shaft line propulsion -

2 Engine types available: 2 x **Volvo D4 225 (2x166 Kw / 2x225 HP)** or **Base TOYOTA (marine fitted Nanni) T4 200 HP (2x147 Kw)** -

Fuel filter with decanter - Sea water filter - Foam soundproofing in engine compartment (40mm thick) - Air expulsion powered by electric fan in engine hold - 1 Fuel tank deck filler - 2 Rotational moulded fuel tanks (Capacity 2x325 l) -

Steering system: 2 Underhung rudders Stainless steel - Hydraulic steering - Trapdoor for access to engine compartment in wheelhouse floor -

## **ELECTRICAL SYSTEM**

12-function electrical panel 12V/220V - 3 Batteries 12V140 Ah for engine starting - Interior lighting (Ceiling and reading lights) - Outside lighting (Navigation lights, Mooring light, 1 Cockpit ceiling light)-

## **WATER SYSTEM**

1 Manual bilge pump (Cockpit) - 1 Electric bilge pump - Water pump for pressurising hot/cold water system - Water tank filler - Rotational moulded water tank(s) (220 l) -

## SPECIAL SERIES ULTIMATE

	ULTIMATE
Vertical electric windlass M/D 1000 W + Remote control	■
Bow thruster + 4 Batteries 12 V 50 Ah in replacement 2 Batteries 12 V 140 Ah	■
Saloon convertible into double berth	■
Radio CD player / MP3 + 2 Loud speakers Inside and Outside	■
Battery charger 40 Ah	■
3 Inside sockets 220 V	■
1 Shore power 220 V	■
Sun mattress forward Cushions "Columbia"	■
Electric trim tabs	■
Cockpit bench seat	■
Multifunction screen RAYMARINE C80 LCD colour	■
Loch, speedo and water temperature and Thru-hull transducer	■
Graphic multifunction repeater(s) RAYMARINE ST70+ / FLY	■

*Additional equipment available on special series ULTIMATE*

## OPTIONS

### OTHER AVAILABLE OPTIONS \_\_\_\_\_

- Steel blue hull
- Wheelhouse hood Cushions "Dune"
- Rear closure Cushions "Dune"
- flybridge Bimini top upholstery "Dune"
- White outside wheelhouse curtains
- White flybridge console cover
- Grill / Microwave oven
- Air conditioning 19 000 BTU
- Heating